



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

09/865,693

05/29/2001

Hong Jeong

401220

5751

23548

7590

05/05/2004

LEYDIG VOIT & MAYER, LTD  
700 THIRTEENTH ST. NW  
SUITE 300  
WASHINGTON, DC 20005-3960

EXAMINER

PHILIPPE, GIMS S

ART UNIT

PAPER NUMBER

2613

5

DATE MAILED: 05/05/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

## Office Action Summary

Application No.

09/865,693

Applicant(s)

JEONG ET AL.

Examiner

Gims S Philippe

Art Unit

2613

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☐ Responsive to communication(s) filed on \_\_\_\_.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-16 is/are pending in the application.  
4a) Of the above claim(s) \_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-8 is/are rejected.
- 7) ☒ Claim(s) 9-16 is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  
a) ☒ All b) ☐ Some \* c) ☐ None of:  
1. ☒ Certified copies of the priority documents have been received.  
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_.  
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  
Paper No(s)/Mail Date 4.
- 4) ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date. \_\_\_\_.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: \_\_\_\_.

Art Unit: 2613

### **DETAILED ACTION**

This is a first action in response to application no. 09/856,693 filed on May 29, 2001 in which claims 1-16 are presented for examination.

Note: It appears that the applicant intended to make claim 16 dependent upon claim 11, however, a typographical shows claim 17. The examiner will make claim 16 dependent upon claim 11 until the applicant clarifies the matter.

### ***Claim Rejections - 35 USC § 102***

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

2. Claims 1-8 are rejected under 35 U.S.C. 102 (b) as being anticipated by Cox (US Patent no. 5383013).

Regarding claim 1, Cox discloses a real-time stereo image matching system comprising a signal converter means for converting an image input from a first camera and a second camera into a digital signal (See fig. 2, cameras 21 and 22 and computer workstation 23 which performs an analog to digital conversion, and col. 3, lines 65-68 and col. 4, lines 1-14), an image matching means for calculating a matching cost based on a pair of pixels on one scan line of the first and second digital image signals (See

Art Unit: 2613

col. 4, lines 4-8, lines 26-45), , tracing a decision value which determines a minimum matching cost (See Col. 7, lines 40-55), and outputting the decision value as an estimated disparity according to predetermined activation information (See col. 7, lines 66-68, col. 8, lines 1-8, and col. 9, lines 1-11).

As per claim 2, the cameras in Cox have parallel axes to each other with co-planar focal planes (See Cox col. 1, lines 53-59).

As per claim 3, Cox further calculates the matching cost after occlusion information for pixels which do not match in the scan line is added to the pair of pixels (See Cox col. 4, lines 46-54 and col. 5, lines 1-5).

As per claims 4-8, the memory means and the clock control means are considered inherent features of the workstation controlling the operation with its processor (See col. 4, lines 8-21, and col. 8, lines 20-27).

3. Claims 9-16 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

4. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Art Unit: 2613


Okino et al. (US Patent no. 5740337) teaches stereoscopic imaging system with electronically controlled convergence angle.

Lipton (US Patent no. 4562463) teaches stereoscopic television system with field storage for sequential display of right and left images.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Gims S Philippe whose telephone number is (703) 305-1107. The examiner can normally be reached on M-F (9:30-7:00) Second Monday Off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Chris S Kelley can be reached on (703) 305-4780. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

  
Gims S Philippe  
Primary Examiner  
Art Unit 2613

GSP

May 1, 2004